

 suprabeam®

Q1

NEW  
2020

TRUECOLOR - HIGH CRI +90  
ROTATING HYPERFOCUS™  
INTELLIGENT LIGHT CONTROL

TRUE  
COLOR



160  
LUMENS



2 x AAA



50 m



56 g



20° - 70°

501.4005

# KEY FEATURES / UNIQUE SELLING POINTS (USP)




## TRUE COLOR - HIGH CRI +90

With our new TrueColor Q1 with a LED with High CRI (+90) we bring out the true colors. If color accuracy is vital in your everyday work the TrueColor Q1 will provide you with most natural colors and make your workday a lot easier.



## ROTATING HYPERFOCUS

The rotating Hyperfocus™ lets you go from flood to spot with a light turn of the lamp head. Control the focus with two fingers and switch quickly from 20 degrees to 70 degrees.



## INTELLIGENT LIGHT CONTROL

The advanced electronic micro controller offers switching between high and low light power by a simple switch operation. In addition, it controls the light output for an optimized battery lifetime.



## ATTACHMENT CLIP

With the Q1 attachment clip and the convenient size the Q1 is perfect for carrying in your pocket. The attachment clip secures the Q1 in your pocket and makes it easy to reach with a quick grasp.



## TOUCH SWITCH


The endcap metal button is a switch with a task function, allowing you to step through the light modes without activating the lamp constantly. The different light functions are provided by our Intelligent Light Control circuit.



## WATER RESISTANT - IPX4

The Q1 is rated IPX4, which means it is water resistant. Use the Q1 in all weather conditions without having to worry about your light.

# LIGHT CURVE AND RUNTIMES



MAX

160 LUMENS  
16

4<sub>h</sub>

LOW

40 LUMENS  
4

10<sub>h</sub>

# WHAT'S IN THE BOX

TORCH



BATTERIES



MANUAL



# DIMENSIONS



# PACKAGING



PACKAGING



REUSABLE LABEL



PRESENTATION

<b>Customs Tariff Number:</b>	8513 1000
<b>Packaging:</b>	Presentation tube
<b>Single Box Content / Size / Weight:</b>	1 pcs, height/diameter, 15.8 x 6.5 cm / 144 g
<b>Master Box Content / Size / Weight:</b>	72 pcs, 40 x 41 x 36.5 cm / 9.1 kg
<b>Part. No.:</b>	501.4005
<b>EAN-CODE:</b>	5704049907966



# SPECIFICATIONS


<b>LED / Focus configuration:</b>	1 CREE Power Chip / Rotating Hyperfocus™
<b>Case Material / Surface Treatment:</b>	Prime Aluminium quality 6061, anodized
<b>Case Color:</b>	Anthracite Dark Grey
<b>Switch at rear:</b>	Quality Tested Metal Switch With Touch Function
<b>Dimensions:</b>	L: 141.5mm, ø: 15mm
<b>Weight incl. battery:</b>	56g
<b>Ingress Protection Rating:</b>	Splash Waterproof IPx4
<b>Temperature (Operation):</b>	-20°C to +50°C

# ELECTRONICS

<b>Built in Controller:</b>	Yes, 2-step controller by press or touch
<b>Standard Power Source:</b>	2 x AAA Alkaline
<b>Compatible with rechargeable cells:</b>	Yes, with AAA NiMh 1.2V
<b>Beam / Distance:</b>	Variable from Spot to Floodlight / 50 Meters
<b>Luminous Flux:</b>	High: 160 lm / Low: 40 lm
<b>Lighting Time:</b>	High: 4 h. / Low: 10 h
<b>Accessories included:</b>	Attachment Clip

# SPAREPARTS

PRODUCT	DESCRIPTION	PARTNUMBER	EAN CODE
	Switch complete for SUPRABEAM Q1	995.0008	5704049900271
	Pocket clip for Q1	995.0035	5704049900981



Distributor's Stamp:

Suprabeam is manufactured by the Steiner Group and distributed worldwide by:

Steiner A/S  
Dyssen 3  
DK-8200 Aarhus N, Denmark

Phone: +45 87 525 212  
[www.suprabeam.com](http://www.suprabeam.com)  
[info@suprabeam.com](mailto:info@suprabeam.com)