

 suprabeam[®]
| DENMARK

V3 *pro* *rechargeable*

USB CHARGING IN THE BATTERY

HIGH CAPACITY LI-PO BATTERY

DC CONVERTER TECHNOLOGY

SLIDING HYPERFOCUS™

ELECTRONIC DIMMING

RED WARNING LIGHT



750 LUMENS



Li-Po
2800 mAh



245 m



184 g



10° - 70°

V3 *pro* rechargeable

suprabeam®
| DENMARK

PACKAGING



750 LUMENS

SPECIFICATIONS

Li-Po
2800 mAh

245 m

184 g

10° - 70°

WHAT'S IN THE BOX

HEADLAMP



BATTERY



USB-CABLE



MANUAL



UNIQUE SELLING POINTS (USP)




HIGH CAPACITY LI-PO

The battery inside the V3 pro rechargeable is a high capacity low weight Li-Po cell with 2800 mAh. The battery is charged directly in the battery, and therefore you will be able to charge the battery while using a spare battery (sold separately).



ELECTRONIC SWITCH + DIMMING

With our Intelligent Light Control and electronic dimming you can get just the right light output you need for a given situation. Dim the light stepless from 300 to 6 lumens simply by holding a button.



SLIDING HYPERFOCUS™

The sliding Hyperfocus™ optical system collects the LED radiance and distributes it with maximum efficiency from a perfect round floodlight beam to a highly intensive, long range spot beam. Just slide the head of the lamp for the correct light setting.



RED WARNING LIGHT

The red blinking warning light on the back of the battery pack will make you visible from behind. The light can be turned on and off.



VERSATILE PLUG SYSTEM


Our professional headlamps are fitted with plugs and exchangeable cables, to let you carry your battery pack in a belt, or to put it in your bag, leaving you with under 80 grams of weight on your head.



DC CONVERTER TECHNOLOGY

The V3 pro rechargeable is fitted with our new and highly efficient electronic circuitry. It reduces the heat development of the Power LED and decreases the energy consumption. The advantage is 30-40% longer runtimes and highest constant light output.

LIGHT CURVE AND RUNTIMES



-2019 (STANDARD ELECTRONICS)

MAX	500 <small>LUMENS</small> <small>50</small>	3 _h
STANDARD	130 <small>LUMENS</small> <small>13</small>	10 _h
DIMMING	270 <small>LUMENS</small> <small>10</small>	3 ³⁰ -100 _h

2019- (DC CONVERTER ELECTRONICS)

MAX	750 <small>LUMENS</small> <small>75</small>	3 _h
STANDARD	180 <small>LUMENS</small> <small>18</small>	8 _h
DIMMING	300 <small>LUMENS</small> <small>6</small>	5 ³⁰ -225 _h

SPECIFICATIONS

LED / Focus configuration:	1 CREE Power Chip / Sliding Hyperfocus™
Case Material / Surface Treatment:	Hi-Tech Plastic Compound / Aluminium
Case Color:	Black / Anthracite Dark Grey
Switch:	Metal Switch Below Head - Max, Dimmer with Memory and Transportation lock
Headband:	Split with silicone stripes, Fits to 50-70 centimeters
Weight incl. battery:	184g
Ingress Protection Rating:	Splash Waterproof IPx4
Temperature (Operation):	-20°C to +50°C

ELECTRONICS

Built in Controller:	Yes, 3-step controller by press
Standard Power Source:	Li-Polymer (2800 mAh)
Beam / Distance:	Variable from Spot to Floodlight / 245 Meters
Luminous Flux:	Max: 750 lm / Standard 180 lm / Dimming: 6-300 lm
Lighting Time:	Max: 3h / Standard: 8h / Low Dim: 225h
Accessories included:	Removable cable, Washable Headband, USB Charging Cable
Charging temperature:	0°C - +45°C

PACKAGING

Customs Tariff Number:	8513 1000
Packaging:	Presentation tube
Single Box Content / Size / Weight:	1 pcs, height/diameter, 18 x 9,7 cm / 420 g
Master Box Content / Size / Weight:	32 pcs, 41 x 41 x 40 cm / 14,5 kg
Order's Address:	info@suprabeam.com
Part. No.:	612.5205
EAN-CODE:	5704049907553



REUSABLE LABEL

FEATURES



INTELLIGENT LIGHT CONTROL (ILC)

Our intelligent light control lets you switch between different light outputs




ELECTRONIC DIMMING

Our electronic dimming lets you dim the light to the desired level with ease



RECHARGEABLE

Rechargeable products will prevent you from using and throwing away alkaline batteries



USB CHARGER

All of our rechargeable products are compatible with USB. This enables you to charge everywhere



VERSATILE PLUG SYSTEM

The versatile plug system lets you change, rearrange and repair your headlamp




ADJUSTABLE ANGLE

Adjust the angle of your headlamp for all kinds of situations



WARNING LIGHT

The red warning light will make you visible from behind. The light can be turned on and off



SLIDING FOCUS

Focus from wide floodlight to spotlight with a simple slide of the lamp head



RESERVE LIGHT

Gives you visual notification, that the battery is low and gives you time to head home



TRANSPORTATION LOCK

Lets you lock the buttons on your headlamp for transportation



COOLING CORE

The high strength aluminium cooperates with the "heatsink" to cool off the LED



WATER RESISTENT - IPX4

This IP-rating indicates that your product is water resistant

RECOMMENDED ACCESSORIES



LI-PO 2800 mAh USB BATTERY

With an extra high capacity Li-Po 2800 mAh USB battery you can charge one battery, while using the other.



SILICONE HEADBAND

Mount your headlamp on any helmet. No brackets or fuss as headband fixies to all helmet surfaces.



VELCRO MOUNTS

Universal velcro straps which easily can be used to mount the headlamp on your cycling helmet, backpack, handlebar, belt or almost everything else you can think of.



CAMPING BULB FOR V3

Convert your headlamp into a superbly effective bulb for multi application use, workshop, car, tent or camp fire.



FOAM PADS FOR V-SERIES

Set of replacement foam pads for V-series. The foam pads are easily mounted and changed with the smart velcro system.



230VAC / 10W USB ADAPTER

With this premium quality wall adapter, you can charge your rechargeable Suprabeam light directly from the plug.



12/24V -1A USB CHARGER

With the 12/24V, 1 Amp USB charger you can recharge your rechargeable Suprabeam products while you are on the go.



V3 COLOUR FILTERS

High quality filters for night operations. Compatible with Q2, Q3-series and V-series with the colour filter adapter.